Author Index

Aitken, A., see Chawla, D. (1202) 38
Alks, V., see Sufrin, J.R. (1202) 87
Allen, S.H.G., Bennett, J.A., Mizejewski, G.J., Andersen, T.T., Ferraris, S. and Jacobson, H.I.
Purification of alpha-fetoprotein from human cord serum with demonstration of its antiestrogenic activity (1202) 135
Allenmark, S., see Chelminska-Bertilsson, M. (1202) 56
Amemiya, Y., see James, V.J. (1202) 305
Andersen, T.T., see Allen, S.H.G. (1202) 135
Andreasen, P.A., see Munch, M. (1202) 29
Animashaun, T., see Chawla, D. (1202) 38
Arnold, S.A., see Lee, K.N. (1202) 1
Atkinson, T., see Paine, L.J. (1202) 235
Aureli, G., see Caccuri, A.M. (1202) 157

Baltas, M., see McKie, J.H. (1202) 61
Bennett, J.A., see Allen, S.H.G. (1202) 135
Biedermann, K., see Pedersen, J. (1202) 13
Biellmann, J.-F., see Tritsch, D. (1202) 77
Birckbichler, P.J., see Lee, K.N. (1202) 1
Blondelle, S.E., Simpkins, L.R., Pérez-Payá, E. and Houghten, R.A.
Influence of tryptophan residues on melittin's hemolytic activity (1202) 331
Böhm, L. and Creemers, P.C.
Folding of terminal histone-H1 peptides in the presence of the oligonucleotide 5′-$(AT)_6$-3′ (1202) 230
Boudet, A.M., see McKie, J.H. (1202) 61
Brömme, D., Neumann, U., Kirschke, H. and Demuth, H.-U.
Novel *N*-peptidyl-*O*-acyl hydroxamates: selective inhibitors of cysteine proteinases (1202) 271
Brömme, D., see Demuth, H.-U. (1202) 265
Bugg, T.D.H.
Overproduction, purification and properties of 2,3-dihydroxyphenylpropionate 1,2-dioxygenase from *Escherichia coli* (1202) 258

Caccuri, A.M., Risitano, A., Marmocchi, F., Venardi, G., Aureli, G., Petruzzelli, R. and Desideri, A.
Reinvestigation of the role of thiol groups of glyoxalase I purified from yeast (*Saccharomyces cerevisiae*) (1202) 157
Caiolfa, V.R., see Zamai, M. (1202) 337
Capizzi, R.L., see Wang, L.-M. (1202) 309
Carter, H.A., see Lee, K.N. (1202) 1
Chang, C.-C., see Chang, L.-S. (1202) 216
Chang, L.-S., Kuo, K.-W. and Chang, C.-C.
Identification of functional involvement of tryptophan residues in phospholipase A_2 from *Naja naja atra* (Taiwan cobra) snake venom (1202) 216
Chapman, S.K., see Miles, C.S. (1202) 82
Chawla, D., Animashaun, T., Hughes, R.C., Harris, A. and Aitken, A.
Bowringia mildbraedii agglutinin: polypeptide composition, primary structure and homologies with other legume lectins (1202) 38
Chelminska-Bertilsson, M., Allenmark, S. and Edebo, L.
Butyrylcholinesterase activity towards long-chain alkanoylcholines: kinetics and mechanism (1202) 56

Chiaraluce, R., see Consalvi, V. (1202) 207
Ciancaglini, P., see Pizauro, J.M. (1202) 22
Collen, D., see Vaughan, D.E. (1202) 221
Consalvi, V., Chiaraluce, R., Politi, L., Pasquo, A., De Rosa, M. and Scandurra, R.
Glutamate dehydrogenase from the thermoacidophilic archaebacterium *Sulfolobus solfataricus*: studies on thermal and guanidine-dependent inactivation (1202) 207
Creemers, P.C., see Böhm, L. (1202) 230
Curran, T.P., Shapiro, R., Riordan, J.F. and Vallee, B.L.
Modulation of the activity of angiogenin by mutagenesis at Asp-116 (1202) 281

Daniel, R.M., see Hudson, R.C. (1202) 244
Davies, M.J. and Puppo, A.
Identification of the site of the globin-derived radical in leghaemoglobins (1202) 182
Davies, M.J., see McArthur, K.M. (1202) 173
Declerck, P.J., see Vaughan, D.E. (1202) 221
Dejmek, P., see Wahlgren, N.M. (1202) 121
Demuth, H.-U., Stöckel, A., Schierhorn, A., Fittkau, S., Kirschke, H. and Brömme, D.
Inhibition of aminopeptidases by *N*-aminoacyl-*O*-4-nitrobenzoyl hydroxamates (1202) 265
Demuth, H.-U., see Brömme, D. (1202) 271
De Rosa, M., see Consalvi, V. (1202) 207
Desideri, A., see Caccuri, A.M. (1202) 157
Ding, J.L., Navas, III, M.A.A. and Ho, B.
Two forms of Factor C from the amoebocytes of *Carcinoscorpius rotundicauda*: purification and characterisation (1202) 149
Douglas, K.T., see McKie, J.H. (1202) 61
Drakenberg, T., see Wahlgren, N.M. (1202) 121
Dunn, J.J., see France, L.L. (1202) 287

Edebo, L., see Chelminska-Bertilsson, M. (1202) 56

Fasman, G.D., see Vaughan, D.E. (1202) 221
Fast, D.G., Jamieson, J.C. and McCaffrey, G.
The role of the carbohydrate chains of Galβ-1,4-GlcNAcα2,6-sialyltransferase for enzyme activity (1202) 325
Ferraris, S., see Allen, S.H.G. (1202) 135
Feuillet, C., see McKie, J.H. (1202) 61
Filimonova, M., see Pedersen, J. (1202) 13
Fine, R.E., see Liu, N. (1202) 70
Fittkau, S., see Demuth, H.-U. (1202) 265
Fraij, B.M., see Lee, K.N. (1202) 1
France, L.L., Kieleczawa, J., Dunn, J.J., Luft, B.J., Hind, G. and Sutherland, J.C.
Evidence for an α-helical epitope on outer surface protein A from the Lyme disease spirochete, *Borrelia burgdorferi*: An application of steady-state and time-resolved fluorescence quenching techniques (1202) 287
Fuchs, F., see Liou, Y.-M. (1202) 92

Goffner, D., see McKie, J.H. (1202) 61
Goodman, E.M., Greenebaum, B. and Marron, M.T.
Altered protein synthesis in a cell-free system exposed to a sinusoidal magnetic field (1202) 107

Author Index

Aitken, A., see Chawla, D. (1202) 38
Alks, V., see Sufrin, J.R. (1202) 87
Allen, S.H.G., Bennett, J.A., Mizejewski, G.J., Andersen, T.T., Ferraris, S. and Jacobson, H.I.
Purification of alpha-fetoprotein from human cord serum with demonstration of its antiestrogenic activity (1202) 135
Allenmark, S., see Chelminska-Bertilsson, M. (1202) 56
Amemiya, Y., see James, V.J. (1202) 305
Andersen, T.T., see Allen, S.H.G. (1202) 135
Andreasen, P.A., see Munch, M. (1202) 29
Animashaun, T., see Chawla, D. (1202) 38
Arnold, S.A., see Lee, K.N. (1202) 1
Atkinson, T., see Paine, L.J. (1202) 235
Aureli, G., see Caccuri, A.M. (1202) 157

Baltas, M., see McKie, J.H. (1202) 61
Bennett, J.A., see Allen, S.H.G. (1202) 135
Biedermann, K., see Pedersen, J. (1202) 13
Biellmann, J.-F., see Tritsch, D. (1202) 77
Birckbichler, P.J., see Lee, K.N. (1202) 1
Blondelle, S.E., Simpkins, L.R., Pérez-Payá, E. and Houghten, R.A.
Influence of tryptophan residues on melittin's hemolytic activity (1202) 331
Böhm, L. and Creemers, P.C.
Folding of terminal histone-H1 peptides in the presence of the oligonucleotide 5′-$(AT)_6$-3′ (1202) 230
Boudet, A.M., see McKie, J.H. (1202) 61
Brömme, D., Neumann, U., Kirschke, H. and Demuth, H.-U.
Novel *N*-peptidyl-*O*-acyl hydroxamates: selective inhibitors of cysteine proteinases (1202) 271
Brömme, D., see Demuth, H.-U. (1202) 265
Bugg, T.D.H.
Overproduction, purification and properties of 2,3-dihydroxyphenylpropionate 1,2-dioxygenase from *Escherichia coli* (1202) 258

Caccuri, A.M., Risitano, A., Marmocchi, F., Venardi, G., Aureli, G., Petruzzelli, R. and Desideri, A.
Reinvestigation of the role of thiol groups of glyoxalase I purified from yeast (*Saccharomyces cerevisiae*) (1202) 157
Caiolfa, V.R., see Zamai, M. (1202) 337
Capizzi, R.L., see Wang, L.-M. (1202) 309
Carter, H.A., see Lee, K.N. (1202) 1
Chang, C.-C., see Chang, L.-S. (1202) 216
Chang, L.-S., Kuo, K.-W. and Chang, C.-C.
Identification of functional involvement of tryptophan residues in phospholipase A_2 from *Naja naja atra* (Taiwan cobra) snake venom (1202) 216
Chapman, S.K., see Miles, C.S. (1202) 82
Chawla, D., Animashaun, T., Hughes, R.C., Harris, A. and Aitken, A.
Bowringia mildbraedii agglutinin: polypeptide composition, primary structure and homologies with other legume lectins (1202) 38
Chelminska-Bertilsson, M., Allenmark, S. and Edebo, L.
Butyrylcholinesterase activity towards long-chain alkanoylcholines: kinetics and mechanism (1202) 56

Chiaraluce, R., see Consalvi, V. (1202) 207
Ciancaglini, P., see Pizauro, J.M. (1202) 22
Collen, D., see Vaughan, D.E. (1202) 221
Consalvi, V., Chiaraluce, R., Politi, L., Pasquo, A., De Rosa, M. and Scandurra, R.
Glutamate dehydrogenase from the thermoacidophilic archaebacterium *Sulfolobus solfataricus*: studies on thermal and guanidine-dependent inactivation (1202) 207
Creemers, P.C., see Böhm, L. (1202) 230
Curran, T.P., Shapiro, R., Riordan, J.F. and Vallee, B.L.
Modulation of the activity of angiogenin by mutagenesis at Asp-116 (1202) 281

Daniel, R.M., see Hudson, R.C. (1202) 244
Davies, M.J. and Puppo, A.
Identification of the site of the globin-derived radical in leghaemoglobins (1202) 182
Davies, M.J., see McArthur, K.M. (1202) 173
Declerck, P.J., see Vaughan, D.E. (1202) 221
Dejmek, P., see Wahlgren, N.M. (1202) 121
Demuth, H.-U., Stöckel, A., Schierhorn, A., Fittkau, S., Kirschke, H. and Brömme, D.
Inhibition of aminopeptidases by *N*-aminoacyl-*O*-4-nitrobenzoyl hydroxamates (1202) 265
Demuth, H.-U., see Brömme, D. (1202) 271
De Rosa, M., see Consalvi, V. (1202) 207
Desideri, A., see Caccuri, A.M. (1202) 157
Ding, J.L., Navas, III, M.A.A. and Ho, B.
Two forms of Factor C from the amoebocytes of *Carcinoscorpius rotundicauda*: purification and characterisation (1202) 149
Douglas, K.T., see McKie, J.H. (1202) 61
Drakenberg, T., see Wahlgren, N.M. (1202) 121
Dunn, J.J., see France, L.L. (1202) 287

Edebo, L., see Chelminska-Bertilsson, M. (1202) 56

Fasman, G.D., see Vaughan, D.E. (1202) 221
Fast, D.G., Jamieson, J.C. and McCaffrey, G.
The role of the carbohydrate chains of Galβ-1,4-GlcNAcα2,6-sialyltransferase for enzyme activity (1202) 325
Ferraris, S., see Allen, S.H.G. (1202) 135
Feuillet, C., see McKie, J.H. (1202) 61
Filimonova, M., see Pedersen, J. (1202) 13
Fine, R.E., see Liu, N. (1202) 70
Fittkau, S., see Demuth, H.-U. (1202) 265
Fraij, B.M., see Lee, K.N. (1202) 1
France, L.L., Kieleczawa, J., Dunn, J.J., Luft, B.J., Hind, G. and Sutherland, J.C.
Evidence for an α-helical epitope on outer surface protein A from the Lyme disease spirochete, *Borrelia burgdorferi*: An application of steady-state and time-resolved fluorescence quenching techniques (1202) 287
Fuchs, F., see Liou, Y.-M. (1202) 92

Goffner, D., see McKie, J.H. (1202) 61
Goodman, E.M., Greenebaum, B. and Marron, M.T.
Altered protein synthesis in a cell-free system exposed to a sinusoidal magnetic field (1202) 107

Gore, M.G., see Paine, L.J. (1202) 235
Gorrichon, L., see McKie, J.H. (1202) 61
Greenebaum, B., see Goodman, E.M. (1202) 107
Grima-Pettenati, J., see McKie, J.H. (1202) 61

Harris, A., see Chawla, D. (1202) 38
Hashimoto, H., see Saigo, S. (1202) 99
Heegaard, C.W., see Munch, M. (1202) 29
Highsmith, S., see Papp, S.J. (1202) 169
Hind, G., see France, L.L. (1202) 287
Ho, B., see Ding, J.L. (1202) 149
Houghten, R.A., see Blondelle, S.E. (1202) 331
Huang, C. and Stewart, R.C.
CheZ mutants with enhanced ability to dephosphorylate CheY, the response regulator in bacterial chemotaxis (1202) 297
Hudson, R.C., Ruttersmith, L.D. and Daniel, R.M.
Glutamate dehydrogenase from the extremely thermophilic archaebacterial isolate AN1 (1202) 244
Hughes, R.C., see Chawla, D. (1202) 38

Iskandar, R., see Jacobsohn, G.M. (1202) 317

Jacobsohn, G.M., Iskandar, R. and Jacobsohn, M.K.
Activity of mushroom tyrosinase on catechol and on a catechol estrogen in an organic solvent (1202) 317
Jacobsohn, M.K., see Jacobsohn, G.M. (1202) 317
Jacobson, H.I., see Allen, S.H.G. (1202) 135
James, V.J., McConnell, J.F. and Amemiya, Y.
Two very long periodicities in collagen (1202) 305
Jamieson, J.C., see Fast, D.G. (1202) 325
Jaouhari, R., see McKie, J.H. (1202) 61
Johnson, R.J., see Liu, N. (1202) 70

Katiyar, S.S., see Sheikh, S. (1202) 251
Kho, Y.-H., see Kim, C.-H. (1202) 200
Kieleczawa, J., see France, L.L. (1202) 287
Kim, C.-H. and Kho, Y.-H.
Domain structure and multiplicity of raw-starch-digesting amylase from *Bacillus circulans*: extensive proteolysis with proteinase K, endopeptidase Glu-C and thermolysin (1202) 200
Kirschke, H., see Brömme, D. (1202) 271
Kirschke, H., see Demuth, H.-U. (1202) 265
Krawetz, S.A., see Krebs, C.J. (1202) 7
Krebs, C.J. and Krawetz, S.A.
Lysyl oxidase copper-talon complex: a model (1202) 7
Kucera, G.L., see Wang, L.-M. (1202) 309
Kuo, K.-W., see Chang, L.-S. (1202) 216
Kurihara, Y., see Nirasawa, S. (1202) 277

La Mar, G.N., see Lee, K.-B. (1202) 189
Lee, K.-B., La Mar, G.N., Mansfield, K.E., Smith, K.M., Pochapsky, T.C. and Sligar, S.G.
Interpretation of hyperfine shift patterns in ferricytochromes b_5 in terms of angular position of the heme: a sensitive probe for peripheral heme protein interactions (1202) 189
Lee, K.N., Arnold, S.A., Birckbichler, P.J., Patterson, Jr., M.K., Fraij, B.M., Takeuchi, Y. and Carter, H.A.
Site-directed mutagenesis of human tissue transglutaminase: Cys-277 is essential for transglutaminase activity but not for GTPase activity (1202) 1
Leone, F.A., see Pizauro, J.M. (1202) 22
Léonil, J., see Wahlgren, N.M. (1202) 121
Liou, Y.-M. and Fuchs, F.
Energy-transfer measurements of the Cys^{35}–Cys^{84} distance in bovine cardiac troponin C (1202) 92
Liu, N., Fine, R.E. and Johnson, R.J.
Comparison of cDNAs from bovine brain coding for two isoforms of calreticulin (1202) 70
Liu, X., see Nirasawa, S. (1202) 277
Lloyd, E., Tomkinson, N.P., Salmon, G.A. and Sykes, A.G.
Pulse radiolysis and related studies on the Ru-modified His 16 derivative of *Anabaena variabilis* [2Fe-2S] ferredoxin (1202) 113
Lombardini, J.B., see Sufrin, J.R. (1202) 87
Luft, B.J., see France, L.L. (1202) 287

Mansfield, K.E., see Lee, K.-B. (1202) 189
Manson, F.D.C., see Miles, C.S. (1202) 82
Marmocchi, F., see Caccuri, A.M. (1202) 157
Marron, M.T., see Goodman, E.M. (1202) 107
Mawlawi, H., see Tritsch, D. (1202) 77
McArthur, K.M. and Davies, M.J.
Detection and reactions of the globin radical in haemoglobin (1202) 173
McCaffrey, G., see Fast, D.G. (1202) 325
McConnell, J.F., see James, V.J. (1202) 305
McKie, J.H., Jaouhari, R., Douglas, K.T., Goffner, D., Feuillet, C., Grima-Pettenati, J., Boudet, A.M., Baltas, M. and Gorrichon, L.
A molecular model for cinnamyl alcohol dehydrogenase, a plant aromatic alcohol dehydrogenase involved in lignification (1202) 61
Miles, C.S., Manson, F.D.C., Reid, G.A. and Chapman, S.K.
Substitution of a haem-iron axial ligand in flavocytochrome b_2 (1202) 82
Mizejewski, G.J., see Allen, S.H.G. (1202) 135
Moiseyev, G.P., see Yakovlev, G.I. (1202) 143
Munch, M., Heegaard, C.W. and Andreasen, P.A.
Interconversions between active, inert and substrate forms of denatured/refolded type-1 plasminogen activator inhibitor (1202) 29

Nagamura, T., see Saigo, S. (1202) 99
Nakatani, H., see Yamashita, H. (1202) 129
Navas, III, M.A.A., see Ding, J.L. (1202) 149
Neumann, U., see Brömme, D. (1202) 271
Nirasawa, S., Liu, X., Nishino, T. and Kurihara, Y.
Disulfide bridge structure of the heat-stable sweet protein mabinlin II (1202) 277
Nishino, T., see Nirasawa, S. (1202) 277
Nomura, M., see Saigo, S. (1202) 99

Paine, L.J., Perry, N., Popplewell, A.G., Gore, M.G. and Atkinson, T.
The identification of a lysine residue reactive to pyridoxal-5-phosphate in the glycerol dehydrogenase from the thermophile *Bacillus stearothermophilus* (1202) 235
Papp, S.J. and Highsmith, S.
The ATP-induced myosin subfragment-1 fluorescence intensity increase is due to one tryptophan (1202) 169
Park, K., see Vaughan, D.E. (1202) 221
Pasquo, A., see Consalvi, V. (1202) 207
Patterson, Jr., M.K., see Lee, K.N. (1202) 1
Pedersen, J., Filimonova, M., Roepstorff, P. and Biedermann, K.
Characterization of *Serratia marcescens* nuclease isoforms by plasma desorption mass spectrometry (1202) 13
Pérez-Payá, E., see Blondelle, S.E. (1202) 331
Perry, N., see Paine, L.J. (1202) 235
Petruzzelli, R., see Caccuri, A.M. (1202) 157
Pizauro, J.M., Ciancaglini, P. and Leone, F.A.
Allosteric modulation by ATP, calcium and magnesium ions of rat osseous plate alkaline phosphatase (1202) 22
Pochapsky, T.C., see Lee, K.-B. (1202) 189
Politi, L., see Consalvi, V. (1202) 207
Popplewell, A.G., see Paine, L.J. (1202) 235
Portis, Jr., A.R., see Wang, Z.Y. (1202) 47
Puppo, A., see Davies, M.J. (1202) 182

Ramage, R.T., see Wang, Z.Y. (1202) 47
Reid, G.A., see Miles, C.S. (1202) 82
Reilly, T.M., see Vaughan, D.E. (1202) 221
Riordan, J.F., see Curran, T.P. (1202) 281
Risitano, A., see Caccuri, A.M. (1202) 157
Roepstorff, P., see Pedersen, J. (1202) 13
Ruttersmith, L.D., see Hudson, R.C. (1202) 244

Saigo, S., Hashimoto, H., Shibayama, N., Nomura, M. and Nagamura, T.
X-ray absorption spectroscopic studies of a transient intermediate in the reaction of cyanide metmyoglobin with dithionite by using rapid freezing (1202) 99
Salmon, G.A., see Lloyd, E. (1202) 113
Scandurra, R., see Consalvi, V. (1202) 207
Schierhorn, A., see Demuth, H.-U. (1202) 265
Shapiro, R., see Curran, T.P. (1202) 281
Sheikh, S. and Katiyar, S.S.
Chemical modification of octopine dehydrogenase by thiol-specific reagents: evidence for the presence of an essential cysteine at the catalytic site (1202) 251
Shibayama, N., see Saigo, S. (1202) 99
Simpkins, L.R., see Blondelle, S.E. (1202) 331
Sligar, S.G., see Lee, K.-B. (1202) 189
Smith, K.M., see Lee, K.-B. (1202) 189
Stewart, R.C., see Huang, C. (1202) 297
Stöckel, A., see Demuth, H.-U. (1202) 265
Sufrin, J.R., Lombardini, J.B. and Alks, V.
Differential kinetic properties of L-2-amino-4-methylthio-*cis*-but-3-enoic acid, a methionine analog inhibitor of *S*-adenosylmethionine synthetase (1202) 87
Sutherland, J.C., see France, L.L. (1202) 287
Sykes, A.G., see Lloyd, E. (1202) 113

Takeuchi, Y., see Lee, K.N. (1202) 1
Tomkinson, N.P., see Lloyd, E. (1202) 113
Tonomura, B., see Yamashita, H. (1202) 129
Tritsch, D., Mawlawi, H. and Biellmann, J.-F.
Mechanism-based inhibition of proline dehydrogenase by proline analogues (1202) 77
Turner, R.J. and Weiner, J.H.
Evaluation of transmembrane helix prediction methods using the recently defined NMR structures of the coat proteins from bacteriophages M13 and Pf1 (1202) 161

Vallee, B.L., see Curran, T.P. (1202) 281
Vaughan, D.E., Declerck, P.J., Reilly, T.M., Park, K., Collen, D. and Fasman, G.D.
Dynamic structural and functional relationships in recombinant plasminogen activator inhibitor-1 (rPAI-1) (1202) 221
Venardi, G., see Caccuri, A.M. (1202) 157

Wahlgren, N.M., Léonil, J., Dejmek, P. and Drakenberg, T.
Two-dimensional nuclear magnetic resonance study of the β-casein peptide 1–25: resonance assignments and secondary structure (1202) 121
Wang, L.-M., Kucera, G.L. and Capizzi, R.L.
Purification and characterization of deoxycytidine kinase from acute myeloid leukemia cell mitochondria (1202) 309
Wang, Z.Y., Ramage, R.T. and Portis, Jr., A.R.
Mg^{2+} and ATP or adenosine 5′-[γ-thio]-triphosphate (ATPγS) enhances intrinsic fluorescence and induces aggregation which increases the activity of spinach Rubisco activase (1202) 47
Weiner, J.H., see Turner, R.J. (1202) 161

Yakovlev, G.I. and Moiseyev, G.P.
NMR studies of a complex of RNAse from *Penicillium brevicompactum* with dinucleoside phosphonate and the implications for the mechanism of enzyme action (1202) 143
Yamashita, H., Nakatani, H. and Tonomura, B.
Change of substrate specificity by chemical modification of lysine residues of porcine pancreatic α-amylase (1202) 129

Zamai, M. and Caiolfa, V.R.
Sequence-directed recognition peptides: inhibition of endothelin generation via a substrate-depletion mechanism (1202) 337